

Digital Pathology

From digitized histology to computer-assisted morphologic interpretation

Dr Abu Suraih Sakhri

MBBS, MD (Pathology)

www.abusuraihsakhri.com

Learning outcomes

Core learning points

- Explain how the digital workflow extends conventional morphologic diagnosis.
- Distinguish image digitization, digital slide review, and algorithmic interpretation.
- Interpret the four clinical application areas specifically discussed.
- Identify where expert review and other diagnostic modalities remain relevant.

Morphology remains central to pathology

Core proposition

Cells and tissue architecture remain the primary objects of examination.

Clinical or technical implications

- Morphologic evaluation helps recognize disease entities.
- The diagnostic medium may change without eliminating the need to interpret tissue.
- Digital pathology is a change in how morphology is captured, shared, and analyzed.

Traditional learning is apprenticeship-based

Conventional practice

- Study tissue at the light microscope
- Compare observations with an experienced pathologist
- Develop pattern recognition through repeated cases

Digital extension

- Review digitized tissue on a screen
- Share image-based consultations with authorized viewers
- Add computer-assisted interpretation as a distinct function

Recognizing a morphologic pattern is learned

Conceptual sequence



Human expertise supplies the morphologic reference frame for the digital transition.

The microscope is a viewing method—not the diagnosis

Core proposition

A diagnosis is an interpretation of biologic material, not the instrument displaying it.

Clinical or technical implications

- The microscope presents optical tissue information.
- A digitized image presents tissue information on a display.
- Adequacy and clinical correlation remain questions separate from the viewing medium.

Digital pathology: Operational definition

Core proposition

Computer-assisted interpretation of digitized histology slides.

Clinical or technical implications

- A glass histology slide becomes a digital image.
- The image can be reviewed on high-resolution computer displays.
- Software can analyze the image; This is distinct from ordinary digital viewing.

Two transitions must be distinguished

Digitization


- Scan a prepared slide
- Store a digital representation
- Make the image accessible for review

Algorithmic interpretation

- Analyze digitized morphology
- Use learned computational patterns
- Assist interpretation of a defined diagnostic task

Step 1: Prepare the tissue information


Conceptual sequence



The scan represents the original slide; It does not create new tissue evidence.

Step 2: Build a retrievable image archive

Conceptual sequence



Institutional pipelines that compile scanned slides into accessible archives.

Step 3: Review on a high-resolution display

Core proposition


Digital examination can be performed on computer screens instead of at the microscope.

Clinical or technical implications

- A pathologist evaluates morphologic findings from the image.
- The display-mediated process still involves recognition and interpretation.
- Algorithmic assessment is optional to this viewing process.

Digital access changes where review occurs

Conceptual sequence



Location need not be the barrier that it is for physical co-viewing of a glass slide.

Access is a condition of remote review

Core proposition

“Anywhere” is conditional on appropriate access to the case images.

Clinical or technical implications

- Robbins explicitly qualifies availability by access permissions.
- Sharing an image is not the same as releasing clinical information publicly.
- Access management is part of the operational workflow, not a diagnostic feature.

Optical and digital workflows: Shared task

At the microscope

- Physical histology slide
- Optical examination
- Expert identification of morphology
- Diagnosis in clinical context

At the workstation

- Scanned histology slide
- Screen-based examination
- Expert identification of morphology
- Diagnosis in clinical context

The digital image has two distinct uses

Direct examination

- Digital slide read by a pathologist
- Morphologic observations
- Pathologist-led interpretation

Computational assessment

- Digital slide processed by an algorithm
- Task-specific algorithmic output
- Interpretation requires diagnostic context

A digital pathology pipeline


Conceptual sequence



A pipeline connects tissue evidence to accessible review; A model is not required at every step.

Potential failure points follow the workflow

Conceptual sequence



Teaching inference: A downstream conclusion cannot compensate for a nonrepresentative upstream specimen.

Why digitization is not equivalent to AI

Core proposition

A scanned slide may be examined without an algorithm.

Clinical or technical implications

- Digitization creates an image that can be stored and viewed.
- Artificial intelligence adds computer-based interpretation of morphology.
- A lecture should not use “digital” and “AI” as interchangeable terms.

Machine learning: Meaning in this context

Core proposition


Algorithms learn from digitized examples to perform a defined interpretive task.

Clinical or technical implications

- Machine learning as the basis of the anticipated diagnostic shift.
- The task may involve a category, grade, or quantity.
- A learned output still answers only the question for which it was developed.

Conceptual machine-learning cycle

Conceptual sequence



Original teaching schematic: Not a specific model architecture or experimental result.

H&E slides are a major AI input

Core proposition

**Algorithmic
interpretation of H&E-
stained slides.**

Clinical or technical implications

- Hematoxylin-and-eosin morphology remains familiar diagnostic evidence.
- Digitization makes the same general image class available to software.
- The four examples in the text represent different clinical questions.

Digital image analysis answers different questions

Clinical task	Type of output
Metastatic tumor workup	Proposed site of origin
Prostate cancer assessment	Grade assignment
Transplant biopsy	Rejection assessment
Liver biopsy	Fibrosis quantification

A predicted label is not the underlying tissue

Core proposition

The algorithmic answer and the morphologic evidence are different objects.

Clinical or technical implications

- The tissue image is the observation to be interpreted.
- A model output is an inference about that observation.
- Promise—not perfect accuracy or universal replacement of experts.

Different model tasks need different questions

Category-oriented

- Which primary site is plausible?
- Is the biopsy suggestive of rejection?
- Which cancer grade is assigned?

Measurement-oriented

- How much fibrosis is present?
- Which tissue regions contribute?
- How is the measured quantity interpreted?

Four applications highlighted

Conceptual sequence



These are the textbook's illustrative application areas, not an exhaustive list or performance ranking.

Metastatic cancer: Primary site may be obscure

Core proposition


A poorly differentiated metastasis can be difficult to classify by morphology alone.

Clinical or technical implications

- The digital pathology section cites prediction of site of origin.
- The parent laboratory-diagnosis section describes IHC as useful for obscure primary sites.
- Different methods can address overlapping questions without being equivalent.

Morphology provides clues to tumor origin

Conceptual sequence



The computer-assisted task is a prediction of origin—not direct observation of a primary tumor.

Poor differentiation limits pure morphology

Core proposition

Loss of distinctive differentiation complicates assignment of lineage or origin.

Clinical or technical implications

- Morphologic ambiguity among some malignant tumors.
- Proposed digital predictions address a clinically important source of uncertainty.
- A plausible origin remains distinct from independent confirmation.

IHC and image-based predictions address origin

Digital morphology prediction

- Uses scanned tissue appearance
- Suggests the site of origin
- Promising application

Immunohistochemistry

- Uses antigen expression in tissue
- Can identify lineage or organ-specific markers
- Established adjunct in parent Robbins section

Teaching case: Metastatic malignancy

Hypothetical teaching scenario

An H&E biopsy shows a poorly differentiated metastatic tumor. The primary site is clinically uncertain.

Interpretive question

What exact question might the digital algorithm address?

A predicted site of origin; The interpretation should be considered alongside morphology, clinical information, and appropriate ancillary tests.

Prostate cancer: Image-assisted grading

Core proposition

Prostate cancer grading as a promising algorithmic application.

Clinical or technical implications

- Grading converts morphologic appearances into a disease assessment.
- A digital algorithm may support the grading task.
- The supplied excerpt does not report grade-specific concordance or diagnostic thresholds.

What makes a grading task different?

Recognition

- Detect or identify a morphological pattern
- Ask whether a feature is present

Grading

- Assign a defined category to a pattern
- Requires application of an accepted grading framework

Grading reflects histologic differentiation

Core proposition

, tumor grade is based on cytologic appearance and differentiation.

Clinical or technical implications

- Poor differentiation is generally associated with more aggressive behavior.
- Grading is not synonymous with staging.
- A digital grader aims at an interpretive histologic task, not clinical stage.

Grade and stage are not interchangeable

Grading	Staging
Cytologic appearance / differentiation	Extent of disease
Microscopic tumor characteristics	Size, nodal and distant spread
Describes tumor phenotype	Describes anatomic distribution

Teaching case: Grading disagreement

Hypothetical teaching scenario

A computer-assisted grader and the reviewing pathologist assign different grades to a prostate biopsy.

Interpretive question

What has this disagreement established?

Only that the two interpretations differ. Robbins provides no basis for assuming which interpretation is correct without independent review.

Transplant rejection: Another morphologic task

Core proposition


**Algorithmic
assessment of rejection
in transplanted-organ
biopsies.**

Clinical or technical implications

- The input remains histologic tissue.
- The task is to evaluate morphology relevant to rejection.
- The source does not give an organ-specific rejection classification or performance estimate.

Biopsy-to-rejection assessment pathway

Conceptual sequence



The digital model output is described as “calling” rejection; Clinical diagnosis remains a contextual act.

Teaching case: Transplant biopsy

Hypothetical teaching scenario

A transplant biopsy has been digitized and the algorithm reports a rejection-associated interpretation.

Interpretive question

What question must the reader still ask?

Whether the underlying tissue and clinical context support the interpretation; The excerpt does not specify any diagnostic criteria.

Liver fibrosis: Quantitative image analysis

Core proposition

Quantification of fibrosis in liver biopsies.

Clinical or technical implications

- Unlike a class label, quantification is a measurement-oriented output.
- The input is a digitized tissue section.
- The excerpt does not specify the stain, unit, segmentation technique, or clinical cutoff.

Fibrosis quantification: Conceptual sequence

Conceptual sequence



Schematic only: No numeric area, grade, percentage, or cut-off is implied.

Teaching case: Fibrosis report

Hypothetical teaching scenario

A digital image-analysis result summarizes fibrosis in a liver biopsy.

Interpretive question

What information is missing before clinical interpretation?

The measurement definition, how the tissue was sampled, and the interpretive framework; Robbins does not provide these details.

The four applications are not one algorithm

Application	Clinical information sought
Metastatic cancer	Likely tissue or site of origin
Prostate cancer	Histologic grade
Transplant biopsy	Rejection-related assessment
Liver biopsy	Amount of fibrosis

Generalization across tissues cannot be presumed

Core proposition


Promise in one histologic task does not establish capability in another.

Clinical or technical implications

- Diverse application areas separately.
- Each asks a distinct diagnostic or quantitative question.
- A useful evaluation must match the model output to its clinical purpose.

More digitized slides can support learning

Conceptual sequence



This as an expectation; It does not state that sample size alone guarantees validity.

Volume is not a substitute for representative evidence

Core proposition

The quality of examples matters to what can be inferred from them.

Clinical or technical implications

- Teaching inference's emphasis on adequate, representative specimens.
- Increasing image count need not resolve a systematic sampling problem.
- The supplied excerpt reports no universal minimum dataset size.

Evidence is needed for an algorithmic claim

Key Pathologic Findings

- Applications have shown promise
- Digitized material for training is increasing
- Routine use is forecast as likely

What Robbins does not supply

- Task-specific accuracy estimates
- Study design and external validation results
- Clinical performance cutoffs or deployment requirements

A forecast is not a measured outcome

Core proposition

The author anticipates routine computer-assisted morphology in future practice.

Clinical or technical implications

- It is a prospective assessment text.
- No implementation date, universal adoption rate, or guaranteed benefit is measured.
- Describe the statement as the author's expectation, not a verified present-day fact.

Pathologists can use images without automated diagnosis


Conceptual sequence



This pathway already illustrates digital pathology even without machine learning.

Clinical interpretation remains multimodal

Conceptual sequence



The adjacent Robbins sections establish that information beyond morphology may change diagnosis.

Adequacy precedes digital analysis

Core proposition

A diagnosis is only as reliable as the material supplied for examination.

Clinical or technical implications

- Adequate, representative and properly preserved tissue.
- Scanning does not correct sampling inadequacy.
- Analytic sophistication and specimen sufficiency are distinct questions.

Specimens may enter pathology in different forms

Sampling approach in Robbins	Diagnostic material
Excision or tissue biopsy	Tissue architecture available for histology
Fine-needle aspiration	Aspirated cells for examination
Cytologic smears	Cellular material spread onto slides

Clinical context affects morphologic interpretation

Core proposition

**Clinical data as
invaluable to accurate
diagnosis.**

Clinical or technical implications

- Treatment-associated changes may mimic cancer.
- Healing tissues may simulate neoplastic features.
- Digital image review does not erase the need for clinical information.

A reactive mimic can complicate a cancer diagnosis

Histologic image alone

- Shows tissue changes at the sampled site
- May contain ambiguous or reactive findings

Image with clinical context

- Adds history of radiation or injury
- Allows more informed differential diagnosis

H&E remains a foundation—not the only tool

Core proposition

Morphologic examination anchors cancer diagnosis, with recognized limits.

Clinical or technical implications

- Histology and cytology as foundational.
- Certain poorly differentiated tumors remain difficult to distinguish.
- IHC, flow cytometry, and molecular diagnostics can add discriminating evidence.

IHC can define lineage in an ambiguous tumor

Example marker in Robbins	Relevant interpretation
Cytokeratin	Supports epithelial origin
Desmin	Supports muscle differentiation
CD45	Supports hematopoietic neoplasia
SOX10	Often associated with melanoma

Lineage detection and computer prediction differ

IHC finding

- Observed immunostaining pattern
- Supports lineage or a tissue-associated diagnosis

ML morphology output

- Learned interpretation of an image
- Suggests a task-specific conclusion

Molecular information serves distinct purposes

Use described by Robbins	Diagnostic role
Genomic alterations	Classification and selected diagnosis
Tumor-associated alterations	Prognostic or therapeutic stratification
Clone-associated sequences	Minimal residual disease assessment
Germline variants	Hereditary predisposition evaluation

Digital morphology does not replace tumor profiling

Core proposition

**Image interpretation
and molecular profiling
examine different
kinds of evidence.**

Clinical or technical implications

- Digitized H&E reflects tissue morphology.
- Molecular studies interrogate genetic or RNA-related features.
- These as complementary laboratory modalities, not interchangeable measurements.

Integrated diagnostic reasoning: Practical model

Conceptual sequence



Add digital review and algorithmic outputs where they genuinely address the clinical question.

Teaching case: Uncertain primary site

Hypothetical teaching scenario

A metastatic biopsy is poorly differentiated. An image algorithm proposes an origin; A selected IHC panel offers a different interpretation.

Interpretive question

Which result should automatically override the other?

Neither. The discrepancy calls for evaluation of tissue adequacy, morphology, clinical information and the relevant diagnostic evidence.

Teaching case: A confident-looking algorithm

Hypothetical teaching scenario

A model returns a categorical answer on a digital image. No validation information accompanies the output.

Interpretive question

Can the model output alone establish clinical reliability?

No. A categorical result is not proof of accuracy; The Robbins excerpt offers examples of promise but no validated task-specific operating characteristics.

The central distinctions

Component	Its principal role
Histology slide	Holds sampled morphologic evidence
Digital scan and archive	Stores and makes the image accessible
Human digital review	Interprets morphology on a workstation
Machine-learning algorithm	Provides task-specific computer-assisted analysis

Synthesis: Promise and boundary

Core learning points

- Digitization extends access to morphologic evidence.
- Machine learning adds interpretation of defined image-based tasks.
- Tumor origin, prostate grade, rejection, and liver fibrosis.
- Sampling, clinical context, and complementary tests remain relevant to diagnosis.

Selected source and scope

Robbins, Cotran & Kumar. Pathologic Basis of Disease. 11th ed. 2026. Chapter 7, “Digital Pathology,” p. 301.

Adjacent context: Chapter 7, “Laboratory Diagnosis of Cancer,” including histology/cytology, IHC, molecular diagnostics and tumor markers, pp. 296–301.

Application cases and original diagrams are explicitly instructional schematics, not textbook figures, validation studies or patient cases.